

# TOOL KIT & ACCESSORIES

## Crimping Tool for Coaxial Cable



| TOOL NO.    |         |        |        | CABLE TYPE  |
|-------------|---------|--------|--------|---|
| 106 & 106C  | 8.2mm   | 6.48mm |        | 59,62,6   |
| 106A & 106D | 6.48mm  | 5.4mm  | 1.72mm | BNC,TNC,UHF,SMA-59,62,140,210,55,58,<br>BELDEN 8279,141,142,223,303,400 |
| 106B & 106S | 10.3mm  |        | 2.6mm  | UHF-8   |
| 106E        | 11.4mm  | 8.2mm  | 5.4mm  | 58,6,11,213   |
| 106F        | 12.1mm  | 8.2mm  | 2.54mm | 6,11,213  |
| 106G        | 11.4mm  | 8.2mm  | 2.54mm | 6,11,213,5,21,143,212,222,304,<br>BELDEN 8281,9231,9141                 |
| 106H        | 9.12mm  | 8.2mm  |        | F-59,62,6   |
| 106X        | 8.6mm   |        | 1.93mm | TWINAX Connectors   |
| 106L        | 10.3mm  | 9.12mm | 2.54mm | UHF-58,8,F-59,6,11  |
| 106M        | 12.08mm | 9.12mm | 2.54mm | F-11,59,6   |



| TOOL NO. |        |        |        |        |        | SQ PIN | CABLE TYPE   | GRIPS COLOUR |
|----------|--------|--------|--------|--------|--------|--------|--|--------------|
| 301B     | 8.1mm  |        | 5.41mm | 4.75mm |        |        | 6,55,58,141,142,223,303,400  | BLUE         |
| 301C     | 8.1mm  | 6.5mm  | 5.41mm |        | 1.72mm |        | 6,59,62,140,210,BELDEN 8279,<br>55,58,141,142,223,303,400,Fiber Optic            | RED          |
| 301D     | 8.3mm  | 6.5mm  | 5.41mm |        | 1.72mm |        | 58,59,62,6,140,141,142,212,222,303<br>Fibre Optic, BELDEN<br>8281,8279,9231,9141 | GREEN        |
| 301G     | 6.48mm | 5.41mm | 3.5mm  | 2.54mm | 1.75mm | 1.09mm | 59,62,8x,140,210,BELDEN 8279<br>55,58,141,174,223,303,400,Fiber Optic            | GREEN        |
| 301J     | 4.52mm | 3.84mm | 3.25mm | 1.98mm | 1.72mm | 1.07mm | 122,174,179,180,187,188,195,Fiber<br>Optic,<br>178,316,BELDEN 8218               | YELLOW       |
| 301K     | 10.9mm |        | 3.25mm | 2.54mm |        |        | 8,9,11,87A,149,165,213,214,216,225,<br>393,174,179,187,188,316,BELDEN 9913       | YELLOW       |
| 301P     |        | 5.7Ø   |        | 5.2Ø   |        | 0.92mm | 58,59,62 ( 0 TYPE )  | GREEN        |
| 230A     |        | 6.48mm | 5.41mm | 4.75mm | 1.72mm |        | 55,58,59,62,140,141,142,210,223,174<br>303,400, Fibre Optic BELDEN 8279          | BLUE         |
| 230I     |        | 7.9mm  | 6.3mm  | 5.2mm  | 2.3mm  | 1.6mm  | 58,59,6 & 174  | GREEN        |
| 311M     | 11.4mm | 8.8mm  |        | 2.0mm  | 1.48mm |        | 7C,5C,4C   | GREEN        |
|          |        | 7.0mm  |        | 1.8mm  | 1.6mm  |        |  |              |
| 301T     | 3.83mm | 3.25mm | 2.54mm | 1.19mm | 1.00mm | 0.71mm | 174,179,187,178,188<br>316,RD179,RD316   | GREEN        |

# Stripper for Coaxial Cables

## **ROTARY COAXIAL CABLE STRIPPER, NO REPLACEMENT CASSETTES NEEDED**

Easy and effective coaxial stripper permits jacket and inner conductor stripping in one operation by rotating the tool 3-6 times in a clockwise direction. Align the socket and adjust the blade with the built-in key for stripping cable of different materials. The V-block can be reversed and the indication arrow will show the RG cable size.



### **2 Blade Model**

| TOOL NO. | CABLE TYPE      | STRIPPING "D" DIM |
|----------|-----------------|-------------------|
| 332      | 58,59,62,6,3C2V | 4,6,8,12mm        |
| 332D     | 174             | 8mm               |
| 332A     | 59,62,6         | 6mm or 8mm        |
| 332B     | 58,59,62        | 6mm or 8mm        |

### **3 Blade Model**

| TOOL NO. | CABLE TYPE   |
|----------|--------------|
| 312A     | 59,62,6      |
| 312B     | 58,59        |
| 312X     | 3.5mm to 5mm |
| 312S     | 8,9,213,214  |

# Tool Kits for Coaxial Cables



330K TOOL KITS

| Content     |   |        |        |        | PIN    | SQ PIN | CABLE TYPE   |
|-------------|---|--------|--------|--------|--------|--------|--|
| 230A        |   | 6.5mm  | 5.41mm | 4.75mm | 1.72mm |        | 55,58,59,62,140,141,142,210,223<br>303,400, Fibre Optic, BELDEN 8279       |
| 301C<br>DIE | 8.1mm   | 6.5mm  | 5.41mm |        | 1.72mm |        | 6,59,62,140,210,BELDEN 8279,<br>55,58,141,142,223,303,400,Fiber Optic      |
| 301G<br>DIE | 6.48mm  | 5.41mm | 3.50mm | 2.54mm | 1.75mm |        | 59,62,8x,140,210, BELDEN 8279,<br>55,58,141,142,223,303,400,Fiber Optic    |
| 301J<br>DIE | 4.52mm  | 3.84mm | 3.25mm | 2.00mm | 1.72mm | 1.1mm  | 122,174,179,180,187,188,195,Fiber<br>Optic,<br>178,316,BELDEN 8218         |
| 301K<br>DIE | 10.9mm  |        | 3.25mm | 2.5mm  |        | 1.07mm | 8,9,11,87A,149,165,213,214,216,225,<br>393,174,179,187,188,316,BELDEN 9913 |
| 206         | 6 1/2" CABLE CUTTER FOR CUTTING CABLE MAX.41"O (10.5mm) |        |        |        |        |        |  |
| 332         | 4"L COAXIAL STRIPPER FOR STRIPPING RG58/59/62/6/3C2V    |        |        |        |        |        |  |



TOOL KITS:3PCS PER SET  
(CUTTER+STRIPPER+  
CRIMPING TOOL)

| KIT NO. | CUTTER                         | COAXIAL STRIPPER                | TOOL | CRIMPING TOOL |        |            |   |  |
|---------|--------------------------------|---------------------------------|------|---------------|--------|------------|---|--|
|         |                                |                                 |      | HEX SPEC.     | PIN    | CABLE TYPE |   |  |
| 3010    | 206"<br>For .41"<br>(10.5Ø mm) | 312B(58/59/62)<br>3 Blade Model | 301A | 6.5mm         | 5.41mm | 1.72mm     | 59,62,8x,140,210,<br>BELDEN 8279 ,55, 58, 141,<br>142,<br>223,303,400,Fibre Optic |  |
| 3014    | 206"<br>For .41"<br>(10.5Ø mm) | 312B(58/59/62)<br>3 Blade Model | 301C | 8.1mm         | 6.5mm  | 5.41mm     | 1.72mm  | 6,59,62,140,210,<br>BELDEN 8279, 55, 58, 141,<br>142,<br>223,303,400,Fibre Optic |
| 3013    | 206"<br>For .41"<br>(10.5Ø mm) | 302B(58/59/62)<br>2 Blade Model | 301A | 6.5mm         | 5.41mm | 1.72mm     | 59,62,8x,140,210,<br>BELDEN 279, 55, 58, 141,<br>142,<br>223,303,400,Fibre Optic  |  |
| 3015    | 206"<br>For .41"<br>(10.5Ø mm) | 302B(58/59/62)<br>2 Blade Model | 301C | 8.1mm         | 6.5mm  | 5.41mm     | 1.72mm  | 6,59,62,140,210,<br>BELDEN 8279, 55, 58, 141,<br>142,<br>223,303,400,Fibre Optic |